



ELECTRIC VEHICLES



# **BIG SPACE, BIG POWER, BIG COMFORT**







Scan here for more info

#### L3e-A1 Homologation (comparable to 125cc) 2049 mm\*757 mm\*1450 mm Engine Vmoto LxWxH **Rated power** 4.0 kW Wheelbase 1366 mm Ground 5.4 kW 154 mm Max power clearance Battery Pouch battery Seat height 780 mm model Battery Rims 74 V/30 Ah x 2PCS 74 V/45 Ah x 2PCS Fr. 2.15-16 | Rr. 2.5-14 capacity Standard 720 W - 3.5 h/PCS 720 W - 5 h/PCS Tires Fr. 100/80-16 | Rr. 110/80-14 charger Optional 1440 W - 2 h/PCS 1440 W – 3 h/PCS charger Hydraulic damping system Suspension Super Fast 6600W - 0%~80% 30 minutes/PCS Charger 2x 74 V/45 Ah 130 Km\* 107 kg Range\* Weight 2x 74 V/30 Ah 105 Km\* Max speed 90 Km/h Brakes CBS 19° White / Matte Blue / Black / Red Climbing angle Colours

WMTC Stage 3\*





## **HAPPINESS IS A JOURNEY**

VMOTO.COM

### Vmoto Limited

Level 48, 152-158 St Georges Terrace, Perth Western Australia 6000, Australia

### **Vmoto International**

15, Zhongxing East Road Lishui Economic Development Zone Lishui Discrict, Nanjing 21 1200 Jiangsu Province, China

#### Vmoto Europe

Boekweitstraat 95-97, 2153 GK Nieuw Vennep, The Netherlands

Vmoto Italy Srl

Sesto S. Giovanni (Milan)

Vmoto Germany Ammerbuch (Stuttgart) Vmoto UK Guildford (London)

Vmoto France

Paris



Official Electric Scooter Supplier

CARRERA CUP

Attention: The photos and technical information contained in this catalog may refer to prototypes subject to changes during production and are for purely illustrative and reference purposes, therefore they are not binding for Vmoto international. Vmoto cannot be held responsible for any printing and/or translation errors. This catalog is transnational and therefore some products may not be available and/or their characteristics may vary according to local laws. Not all colors and versions are available in every country. Vmoto reserves the right to make changes at the discretion of Vmoto without notice. The photographs published in this catalog is transnational and therefore subject to significant changes at the discretion of Vmoto without notice. The photographs published in this catalog is not only professional divers in controlled road conditions. Do not try to initiate this driving behavior as it could be dangerous for you or other used of contents, contents is prohibited, including publication or the ruse of the radio are than the catalog of is contents is prohibited, including publication or the ruse of a paralities requestion of vmoto international. Whose contents is prohibited, including publication or other used of contents, contents is prohibited, including publication or other used of paralities reposition or other used of contents, contents is prohibited, including publications contents. Curve weights are considered with all operating foromations. Curve weights are considered with all operating fludids, standard equipment and battery. For more information contents. Curve weights are considered with all operating fludids, standard equipment and battery. For more information weights are considered with all operating fludids.