



PRO IS FOR PERFORMANCE



TECHNICAL INFORMATION

| Homologation | L3e-A1 (comparable to a 125cc) | LxWxH | 2024 mm*788 mm*1114 mm |
|---------------------|--------------------------------|------------------|-------------------------------|
| Rated power | 4.1 kW | Wheelbase | 1323 mm |
| Max power | 5.2 kW | Ground clearance | 173 mm |
| Battery model | Polymer lithium battery | Seat height | 770 mm |
| Battery capacity | 60 V/32 Ah x 2 PCS | Rims | Fr. 2.5-17 Rr. 3.5-17 |
| Charging time | 3.5 h x 1 PCS | Tires | Fr. 100/80-17 Rr. 120/70-17 |
| Charging power | 600 W | Suspension | Hydraulic damping system |
| Range* | 91 Km* | Weight | 89 kg (without battery) |
| Max speed | 90 Km/h | Brakes | CBS |
| Climbing angle | 14° | Colours | Black / White / Red |





HAPPINESS IS A JOURNEY

VMOTO.COM

Vmoto Limited

Level 48, 152-158
St Georges Terrace,
Perth Western Australia 6000, Australia

Vmoto International

15, Zhongxing East Road Lishui Economic Development Zone Lishui Discrict, Nanjing 21 1200 Jiangsu Province, China

Vmoto Europe

Boekweitstraat 95-97, 2153 GK Nieuw Vennep, The Netherlands

Vmoto Italy Srl

Sesto S. Giovanr

Milan)

Vmoto Germany

Ammerbuch (Stuttgart)

Vmoto UK

Guildford (London)

Vmoto France

VIIIOCO I







Attention: The photos and technical information contained in this catalog may refer to prototypes subject to changes during production and are for purely illustrative and reference purposes, therefore they are not binding for Vimoto International. Vimoto cannot be held responsible for any printing and/or translation errors. This catalog is transnational and therefore some products may not be available and/or their characteristics may vary according to local laws. Not all colors and versions are available in every country. Vimoto response with the products are contained in the relevant user manuals. The products are contained in the relevant user manuals. The products are contained in such relevant user manuals. The products are contained in the relevant user manuals in the products are contained in the products are contained in the relevant user manuals. The products are contained in the relevant user manuals. The products are contained in the relevant user manuals in the product of the products are contained in the relevant user manuals. The products are contained in t