

ÐFF-R

ELECTRIC MOBILITY

OFF-R

JORGE LORENZO



Official Vmoto Testimonial 5 times MotoGP World Champion



Characterised by its sleek and sharp styling, OFF-R offers an extremely instinctive riding position. The front fender line is molded in the shape of small "wings" that, in wet conditions, discharge and deflect dirt and mud away from the radiators and the rider.

Die-cast aluminium frame and swingarm, motocross-derived components and ergonomics that ensure maximum control of the vehicle for safe riding pleasure. Fresh, cool and youthful design.

Homologation L3e Rater Power 4 kW Maximum Power 8 kW Max speed 90 km/h*



Scan here for more info

TECHNICAL INFORMATION

Homologation	L3e-A1 (comparable to a 125cc.)	LxWxH	1900 mm*814*mm*1080 mm
Rated Power	4 kW	Wheelbase	1302 mm
Maximum Power	8 kW	Ground clearance	270 mm
Battery model	21700 cylindrical lithium battery	Seat height	840 mm
Battery capacity	72 V/32 Ah 72 V/48 Ah	Rims	Fr. 1.6*19 / Rr. 2.15*16
Charging time	2.5 h (72V/32Ah battery) 3.5 h (72V/48Ah battery)	Tires	Fr. 70/90-19 / Rr. 90/100-16
Charging power	1.08 kW	Suspension	Hydraulic damping system
Autonomy	104 km* (72 V/48 Ah battery) 68 km* (72 V/32 Ah battery)	Weight	85 Kg (72 V/48 Ah battery) 80 Kg (72 V/32 Ah battery)
Max. Speed	90 Km/h	Brakes	SSBS
Climbing angle	30°	Colours	Blue / Yellow

for your enjoyment.

Live your off-road experience to the fullest with OFF-R; the new entry in the Vmoto Dirt Bike family designed

TAKE AN UNPAVED RO AND START THE FUN!

*WMTC Stage 3



Happiness is a journey

VMOTO.COM

Vmoto Limited

Level 48, 152-158 St Georges Terrace, Perth Western Australia 6000, Australia

Vmoto International

15, Zhongxing East Road Lishui Economic Development Zone Lishui Discrict, Nanjing 21 1200 Jiangsu Province. China

Vmoto Europe

Boekweitstraat 95-97, 2153 GK Nieuw Vennep, The Netherlands

Vmoto Italy

Sesto S. Giovani (Milan)

Vmoto Germany

Ammerbuch (Stuttgart)

Vmoto UK

Guildford (London)

Vmoto France

ttgart) Pa







Attention: The photos and technical information contained in this catalog may refer to prototypes subject to changes during production and are for purely illustrative and reference purposes, therefore they are not brinding for 'Ymoto International' Minoto cannot be held responsible to favry printing and/or translation errors. This catalog is transnational and therefore some products without prior and the same and versions are and versions are available in every country. Who to reserves the right to make changes and improvements to any product without prior notice or to make such changes to products already soid. Further characteristics of the products are contained in the relevant user manuals. The products presented are not final, we you or other people on the road This catalogue, including but not inflinide to the detailed, including but not inflinide to the detailed or its contents. The products are contained in the relevant user manuals. The products are contained in the relevant user manuals. The products are contained in the relevant user manuals. The products are contained in the relevant user manuals. The products are contained in the relevant user manuals are contained in the relevant user manuals. The products are contained in the relevant user manuals are contained in the relevant user manuals. The products are contained with the products are contained in the relevant user manuals. The products represented are not final, we have contained and the relevant user manuals are contained in the relevant user manuals. The products represented are not final, we have contained and the relevant user manuals. The products relevant user manuals are contained with the products are contained until the relevant user manuals. The products represented are not final, we have contained to the product of the produ