







### **DESIGN EXCELLENCE FOR WORK**

The VS2 CITI Cargo's front fairings can be easily removed to reach the electronic components, which are concentrated at the front of the scooter. So many options, making VS2 CITI Cargo the perfect vehicle for elevate your travel. VS2 CITI Cargo's battery pack fits multiple Vmoto models-this means less stock for industry operators and more opportunities for you to experience an endless ride!

L1e - L3e Max speed 80 km/h. Range L1e 80 Km\*- L3e 70 km\* Maximum Power 4.4 kW



Scan here for more info

TECHNICAL INFORMATION			
Homologation	L1e-B   L3e-A1 (comparable to a 50cc, 125cc.)		
Engine	Vmoto	Loading capacity	50 units
Rated Power	2 kW (L1e-B ) / 3.5 or 4.0 kW (L3e-A1)	Wheelbase	1327 mm
Maximum Power	2.4 kW (L1e-B ) / 4.1 or 4.4 kW (L3e-A1)	Ground clearance	130 mm
Battery model	Polymer Lithium battery	Seat height	770 mm
Battery capacity	60 V/45 Ah or 74 V/28 Ah (optional 2 batteries)	Rims	Fr. 1.85-16   Rr. 2.5-14
Charging time	6 h for 2 batteries (3 h fast charge)	Tires	Fr. 90/80-16   Rr. 90/90-14
Charging power	60 V/45 Ah: 0.48 W - 0.9 W (fast charger) 74 V/28 Ah: 0.72 W - 1.4 KW (fast charger)	Suspension	Hydraulic damping system
Range*	L1e 80 Km* (100 Km* with 2 batteries) L3e 70 Km* (100 Km* with 2 batteries)	Weight	92 kg (without battery) 60 V/45 Ah: 18 Kg   74 V/28 Ah: 13 Kg/PCS
Max. Speed	L1e 45 km/h   L3e 80 km/h	Brakes	CBS
Climbing angle	14°	Colours	Matte Black / Red / White / Matte Blue
LxWxH	1940 mm*730 mm*1160 mm		

\*Tested at an average speed of 45 km/h; rider weight 75 kg with two batteries. WMTC Stage 3.

# MAKE YOUR CITI CARGO UNIQUE







## Happiness is a journey

#### VMOTO.COM

#### Vmoto Limited

Level 48, 152-158 St Georges Terrace, Perth Western Australia 6000, Australia

#### Vmoto International

15, Zhongxing East Road Lishui Economic Development Zone Lishui Discrict, Nanjing 21 1200 Jiangsu Province, China

#### Vmoto Europe

Boekweitstraat 95-97, 2153 GK Nieuw Vennep, The Netherlands

Vmoto Italy

Sesto S. Giovanni

(Milan)

Vmoto Germany

Ammerbuch (Stuttgart)

Vmoto UK

Guildford (London)

**Vmoto France** 

Paris







Attention: The photos and technical information contained in this catalog may refer to prototypes subject to changes during production and are for purely illustrative and reference purposes, therefore they are not binding for Vmoto international. Vmoto cannot be held responsible for any printing anglor translation errors. This catalog is transnational and therefore some products may not be available and/or their characteristics may vary according to local laws. Not all colors and versions are available in every country. Vmoto reserves the night for make used, headings to products are contained in the relevant user manuals. The products represented are not final versions and are therefore subject to significant changes at the discretion of Vmoto without notice. The photographs published in this catalog show only professional drivers in controlled road conditions. Do not try to imitate this driving behavior as it could be dangerous for your or other people on the road. This catalogies, including, but not timited to it, drain reproduction, modification or other use of the catalog or its contents for which the products are contained with all operation may vary beased on many facilities. It is pressure, the products reproduction, surface characteristics, the pressure, load, rider weight side, many facilities that all operating fluids, standard equipment and battery. For mode information into third to with www.hmotosoco.com.