







TECHNICAL INFORMATION				
Homologation	L3e-A1 (comparable to a 125cc.)	L3e-A1 (comparable to a 125cc.)		
Engine	VMOTO	Weight	152 kg	
Rated power	7.0 kW	LxWxH	2125 mm*760 mm*1430 mm	
Max power	8.0 kW	Wheelbase	1366 mm	
Battery model	Polymer Lithium battery	Ground clearance	154 mm	
Battery capacity	60 V/45 Ah* 2	Seat height	760 mm	
Charging time	7 h (Double batteries)	Rims	Fr. 2.15-16 Rr. 2.5-14	
Charging power	1000 W	Tires	Front 100/80-16 Rear 110/80-14	
Range*	100 Km	Suspension	Hydraulic damping system	
Max speed	105 km/h	Brakes	ABS	
Climbing angle	21°	Colours	White, Black, Red, Sky Blue	

^{*}WMTC Stage 3

Attention: The photos and technical information contained in this catalog may refer to prototypies sunject to changes during production and are for purely illustrative and reference purposes, therefore they are not binding for Ymoto international. Who contains the held responsible for any printing and/or translation errors. This catalog is transnational and therefore some products may not be available and/or their characteristics may vary according to local laws. Not all colors and versions are available in every country. Who reserves the right to make changes and improvements to any product without prior notice or to make such changes to products already sold. Further characteristics of the products are contained in the relevant user manuals. The products are contained in the relevant user manuals are therefore subject to significant changes at the discretion of Vmoto without notice. The photographs published in this catalog show only professional drivers in controlled road conditions. Do not try to ministe this driving because of the production of the report of Vmoto, or in any case Vmoto has the right to catalog or its contents is prohibited, including, but not limited to, including, but not limited to, riding style, maintenance performed, weather conditions, surface characteristics, tire pressure, load, rider weight and the passenger, the accessories. Curb weights are considered with all operating fluids, standard equipment and battery. For more information visit www.Vmotosocc.com.

