

THE PERFECT BALANCE OF SIZE AND FUNCTIONALITY

CUx is the 100% electric scooter designed to meet your everyday needs. Cutting-edge technology and many, small details that make your ride easy, safe and enjoyable.

Max speed 55 km/h Range 80 km* Maximum Power 2.3 kW



Scan here for more info

TECHNICAL INFORMATION

Homologation	L1e-B (comparable to a 50cc.)		
Engine	Vmoto	LxWxH	1782 mm*727 mm*1087 mm
Rated Power	2.1 kW	Wheelbase	1217 mm
Maximum Power	2.3 kW	Ground clearance	140 mm
Battery model	18650 cylindrical battery	Seat height (R point)	720 mm
Battery capacity	60 V/43 Ah	Rims	Fr. 2.15×12 Rr. 2.15×12
Charging time	4-5 h	Tires	Fr. 90/90-12 Rr. 90/90-12
Charging power	600 W	Suspension	Hydraulic damping system
Range*	80 km*	Weight	77 Kg
Max. Speed	55 km/h	Brakes	SSBS
Climbing angle	15°	Colours	White / Grey

FAST IN THE CITY

*Tested at an average speed of 45 km/h; rider weight 75 kg with two batteries.



Happiness is a journey

VMOTO.COM

Vmoto Limited

Level 48, 152-158 St Georges Terrace, Perth Western Australia 6000, Australia

Vmoto International

15, Zhongxing East Road Lishui Economic Development Zone Lishui Discrict, Nanjing 21 1200 Jiangsu Province, China

Vmoto Europe

Boekweitstraat 95-97, 2153 GK Nieuw Vennep, The Netherlands

Vmoto Italy

Sesto S. Giovanni (Milan)

Vmoto Germany

Ammerbuch (Stuttgart)

Vmoto UK

Guildford (London)

Vmoto France

Paris







Attention: The photos and technical information contained in this catalog may refer to prototypes subject to changes during production and are for purely illustrative and reference purposes, therefore they are not binding for Vmoto International. Vmoto cannot be neit responsible for any printing and/or translation errors. This catalog is transnational and therefore some products any on the available and/or their characteristics may vary according to local laws. Not all colors and versions are available in every country. Vmoto reserves the night to make changes and improvements to any product without prior notice or to make such changes to products already sold. Further characteristics of the products are contained in the relevant user manuals. The products represented are not final versions and are therefore subject to significant changes at the discretion of Vmoto without notice. By products applied in this catalog show only professional drivers in controlled road conditions. Do not try to imitate this driving behavior, in the catalog or to redemark, sopplied and the product of contents, constitutes the intellectual property of Vmoto, or in any case Vmoto has the right to reproduce it to reproduce it to reproduce it in the relevant of vmoto. Actual battery consumptions may vary bead on many factors, the researce performed, weather conditions, surface characteristics, the pressure, load, rider weight and the passessor. Curb weights are considered with all operating fluids, standards equipment and stately including, but not intented to, rinding style, manifestic and conditions.