



HIGH POWER ENGINE





Modern roadster design, enhanced performance: TS PRO Street Hunter is ready to tear up the streets with its aggressive styling, without ever forgetting its practicality - like that of its capacious front storage compartment. The high-performance motor, located in the wheel hub, provides as much as 180 Nm of torgue and an incredible boost that only electric motors can give: performance excellence is in its DNA!

Max speed 90 Km/h Rated power 4.1 kW Max power 5.2 kW Autonomy 90 km*

TECHNICAL INFORMATION

Homologation	L3e-A1 (comparable to a 125cc.)	LxWxH	1984 mm*788 mm*1091 mm
Rated Power	4.1 kW	Wheelbase	1322 mm
Maximum Power	5.2 kW	Ground clearance	173 mm
Battery model	Polymer lithium battery	Seat height	770 mm
Battery capacity	60 V/32 Ah* 2	Rims	Fr. 2.5-17 Rr.3.5-17
Charging time	3.5 h (for single battery)	Tires	Fr. 100/80-17 Rr.120/70-17
Charging power	600 W	Suspension	Hydraulic damping system
Range*	90 km*	Weight	103 kg
Max. Speed	90 km/h	Brakes	CBS
Climbing angle	14°	Colours	Black / Red / White

7/

PRO IS FOR PERFORMANCE



Scan here for more info



Happiness is a journey

VMOTO.COM

Vmoto Limited

Level 48, 152-158 St Georges Terrace, Perth Western Australia 6000, Australia

Vmoto International

15, Zhongxing East Road Lishui Economic Development Zone Lishui Discrict, Nanjing 21 1200 Jiangsu Province, China

Vmoto Europe

Boekweitstraat 95-97, 2153 GK Nieuw Vennep, The Netherlands

Vmoto Italy

Sesto S. Giovanni (Milan)

Vmoto Germany

Vmoto UK Guildford (London)

Vmoto France



Official Electric Scooter Supplier





Attention: The photos and technical information contained in this catalog may refer to prototypes subject to changes during production and are for purely illustrative and reference purposes, therefore they are not binding for Vmoto International. Vmoto cannot be held responsible for any printing and/or translation errors. This catalog is transnational and therefore some products may not be available and/or their characteristics may vary according to local laws. Not all colors and versions are available are not final verse in ordinate subject to significant changes and improvements to any product without prior notice or to make such changes to products aready sold. Further characteristics are contained in the relevant user manuals. The products represented are not final verse in ordinate subject to significant changes at the discretion of Vmoto without notice. The photographs published in this catalog show only professional drivers in controlled road conditions. Do not try to initiate this discretion of updating aready to partial report drivers in controlled road conditions. Do not try to initiate this cateling show only professional drivers in controlled road conditions. Do not try to initiate this discretion of updating aready of updating aready conserved to report and the catelog on the catelog on the catelog on the catelog show only professional drivers in controlled road conditions, surface characteristics, to preserve to any patient area or patient length, main tenance performed, vestime conditions, surface characteristics, to updating built, and in the decessions? Curve with the accessions? Curve with the accessions? Curve with the conditions, surface characteristics, the researce performance the accessions? Curve with the accessions? Curve with the conditions, surface characteristics are proved as in the decessions? Curve with the conditions, surface characteristics are considered with and the passinger the accessions? Curve with an operating fluind, surface queupinent and builted in client withonoce con

April 2023