## Vmoto





Blue

Black

• Grey

## **TECHNICAL INFORMATION**

Homologation	L3e-A1 (comparable to a 125cc.)		
Engine	VMOTO	Weight	153 kg
Rated power	9.0 kW	LxWxH	2030 mm*810 mm*1100mm
Max power	14.4 kW	Wheelbase	1400 mm
Battery model	Polymer lithium battery	Ground clearance	175 mm
Battery capacity	74 V/97 Ah	Seat height	810 mm
Charging time	5.5 h	Rims	Fr. 2.5-17   Rr. 3.75-17
Charging power	1700 W	Tires	Fr. 100/80-17   Rr. 120/70-17
Range*	180 Km*	Suspension	Hydraulic damping system
Max speed	120 Km/h	Brakes	ABS
Climbing angle	27°	Colours	Blue, Black, Grey

\*Tested at an average speed of 45 Km/h.

Attention: The photos and technical information contained in this catalog may refer to prototypes subject to changes during production and are for purely illustrative and reference purposes, therefore they are not binding for Wmoto International. Wmoto cantry Wmoto reserves the right to make changes and improvements to any product without prior notice or to make such changes to products already sold. Further characteristics may vary according to local allows. Not all colors and versions are available in any or their advantage and/or threatistic may vary according to local allows. Not all colors and versions are available in any or their characteristics may vary according to local allows. Not all colors and versions are available in any or their characteristics of the products are contained in the relevance available in any or their characteristics of the products are contained in the relevance available in any or their characteristics of the products are contained in the relevance available in any or the available and/or their characteristics in controlled road conditions. The products represented are not produce to the read conditions, the right to reproduce it, Any total or partial rerous for you or other people on the road. This catalogue, including, but not limited to, trademarks, logos, texts, images, graphics and table of contents, constitutes the intellectual property of Vmoto, or in any case Vmoto has the right to reproduce it, Any total or partial retenance performed, weather conditions, surface characteristics, the pressure, load, rider weight and the passenger, the accessories. Curb weights are considered with all operating fluids, standard equipment and battery. For more information visit www.Vmotoscoc.com. April 2023

